



BILLMAYER'S Water Supply

Complete Water Systems and Well Drilling

115 Kelly Road Kalispell, MT 59901
Office 755-5395 Fax 755-5643

Customer Tony Dyson Date 6/11/97 Phone 756-1557
Address _____ (w) _____
Well Location STARWOOD SUBDIVISION

Well Information

Size 6" Depth 402 Ft.
Static Level 260 Ft.
Pumping Level 400 Ft. 20 GPM

Pump Specifications

2 Hp 230 Volts 1 Phase
10 1/2 GPM at 50 lb. Pressure
400 Ft. Setting
14 1/2 GPM @ 260 ft.
5" STEEL LINER FROM
140 - 402 FT.

Pump Estimate

<u>1</u>	Pump model <u>Goulds 10GS20</u>		<u>1,191</u>
<u>1</u>	Tank <u>WX-300</u>	<u>86 gal.</u>	<u>550</u>
<u>1</u>	Pitless Adapter <u>1 1/4"</u>		<u>65</u>
	Well Seal		
	Magnetic Starter		
<u>1</u>	Gate Valve <u>3/4"</u>		
<u>2</u>	Check Valve <u>1 1/4"</u>	<u>33 @</u>	<u>66</u>
<u>1</u>	Tank Fitting Package <u>-1</u>		<u>65</u>
<u>380'</u>	Drop Pipe <u>1 1/4" Sch. 80 PVC</u>	<u>\$1.40/ft.</u>	<u>532</u>
<u>390'</u>	Submersible Cable <u>10-4</u>	<u>\$1.20/ft.</u>	<u>468</u>
	Offset Pipe* <u>1" PE #200</u>	<u>\$1.00/ft.</u>	
	Offset Cable* <u>#8-4 needed</u>	<u>\$ /ft</u>	
<u>1</u>	Frost Free Hydrant <u>C-1000</u>		<u>67</u>
<u>3</u>	Torque Arrestor	<u>12 @</u>	<u>36</u>

Plumbing

	Misc. Fittings		<u>75</u>
	Installation		<u>350</u>

Estimate Total (valid 30 days)

\$ 3,465.

* House to Well.....Estimate Total doesn't include excavation, pipe, or wire from the well to the house.

DANGER

**HIGH
VOLTAGE**



0 29069 00

Y-KO PRODUCTS CO., NORTHFIELD, OHIO 44067-1415 Made in the U.S.A.

508

WO#21522



